

Line Management Views on Implementing Notice 440.1

*Samuel Johnson
Defense Programs
HQ, Office of Site Operations*

Defense Programs Be Facilities

■ *Albuquerque Operations Office*

- *Los Alamos N L*
- *Pantex*
- *Kansas City Plant*
- *Sandia N L*
(excluded from Notice)

■ *Oak Ridge Operations Office*

- *Y-12 Plant*

■ *Oakland Operations Office*

- *Lawrence Livermore NL*

CBDPP

- *Reduce the number of current Be workers exposed*
- *Minimize the levels of Be exposure and the potential for exposure to Be*
- *Establish medical surveillance protocols to ensure early detection of chronic Be disease*

DP Issues

- *Integrated Safety Management Strategy
DOE P 450.4 Safety Management
Systems Policy*
- *SMRI at Y-12, KCP and Pantex*
- *New Beryllium Technology Facility
under construction at LANL*
- *Realtime Beryllium Monitor under
development*
- *Budget Priority*

Implementation Costs (K dollars)

	98	99	00	01	02	03
LANL			5472	5472	5472 +HT	
PX			603	786	592	
KCP	7					
Y-12	3270	2285	2285	2285	2285	2285
Totals	3277	2285	8360	8543	3749+	2285

Concerns

- *Determining the appropriate number of employees to be included in the ongoing Be-LPT medical surveillance programs*
- *Completion of workplace assessments and historical reviews of previous beryllium operations.*

The CBDPP Rule ?

- *DOE will have two years to achieve full compliance*

